

覚み、CE 006/C1952 日期: 2006/12/15 頁数:1 of 4

KAIPING PRODUCTWELL PRECISION E CT. O., LTD.

26 NORTH ROAD, XIANG LONG OR TOWN, KAIPING, GUANGDNG, CHINA

本報告爲客户所氨 :的杉 品, 樣品名稱爲"RKJXK SERIES"所做的測試。

Report on the subm ted sample said to be RKJXK SERIES.

様品型號 = e/Item No : RKJXK鐵柄系列 收件 7期、 ple Receiving Date) : 2006/12/08

: 2006/12/08 TO 2006/12/15

測試需求 / Test Requested

: 參照 RoHS 2002/95/EC 及其修定指 要求 / In accordance with the RoHS Directive 2002/95/L and its amendment directives.

測試方法 / Test Method

- (1) 参考BS EN 1122方法B Lo , A 总應耦合電業原子發射光譜儀檢 測錫含量. / With re en , to BS EN 1122:2001, Method B for Cadmium Conte . Analysis was performed by ICP-AES.
- (2) 参考US EPA 305 32 , 用感應耦合電漿原子發射光譜儀檢測鉛含量. / th . rence to US EPA Method 3050B for Lead Content. . 1vsis was performed by ICP-AES.
- (3) 参考 JS EP 3052方法, 用感應耦合電漿原子發射光譜儀檢測汞含 W: a reference to US EPA Method 3052 for Mercury Co ent. Analysis was performed by ICP-AES.
- (4) ** 「非金屬材質之樣品,參考US EPA 3060A方法,用UV-VIS (US EPA 7196A)檢測六價鉻含量。/ With reference to US EPA Method 3060A & 7196A for Hexavalent Chromium for non-metallic samples. Analysis was performed by UV/Vis Spectrometry.
- (5) 參考US EPA 3540C方法,以氣相層析儀/質譜儀(GC/MS)檢測多溴 聯苯和多溴聯苯醚含量. / With reference to US EPA 3540C for PBBs/PBDEs Content. Analysis was performed by GC/MS.

測試結果 / Test Re :lt/)

* TAIWAN LTD.

請見下一頁.

Der. 7, M.R. / Operation Manager

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law.



號和 CF .006/C1952 日期: 2006/12/15 頁数: 2 of 4

KAIPING PRODUCTWELL PRECISION E CT. CO., LTD.

26 NORTH ROAD, XIANG LONG Sm. V TOWN, KAIPING, GUANGDNG, CHINA

測試結果 (單位: */kg / Test Result(s)

沪*試っ. 目 /	測試方法	結果 / Result	方法偵測
est Item (s):	Method (Refer to)	No.1	極限値 (MDL)
编 Caq 1 (Cd)	(1)	n.d.	2
ad (Pb)	(2)	17.1	
t (Mercury (Hg)	(3)	r d	2



號A. CF .006/C1952 日期: 2006/12/15 頁數: 3 of 4

KAIPING PRODUCTWELL PRECISION E CT. CO., LTD.

26 NORTH ROAD, XIANG LONG On Trown, KAIPING, GUANGDNG, CHINA

Note: 1. mm/kg = , m

2 n. . = lot Jetected / 未檢出

3. Ma : Method Detection Limit / 方法偵測極限值

m of Mono to NonaBDE & according to 2005/717/EC DecaBDE is exempt.
根據2005年10月13日歐盟會議公佈2005/717/EC,修訂2002/95/EC内容,通過解 高分子材質中十溴聯苯醚之使用限制。

5. "-" = Not Regulated / 無規格值

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law.



%私、CE 006/C1952 日期: 2006/12/15 頁数: 4 of 4

KAIPING PRODUCTWELL PRECISION E CT. CO., LTD.

26 NORTH ROAD, XIANG LONG OR TOWN, KAIPING, GUANGDNG, CHINA



生 占結尾 *

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law.